

CANISTER COLLECTOR – AM40-1B





General Characteristics

ModelAM-40, 1BCanister1 UnitSecurityIncluded (Door)ManufacturingStainless Steel

Advantages

Manufactured in stainless steel.

Control of Canister presence is included, as well as door opening security micro.

Security padlock included for the opening delimitation.

The volume of the bottle can be between 0.5 to 30 liters, modifying the container to the desired size.

Totally watertight system for the analysis of moisture in sampled samples.

Valid for any mineral, fertilizer, or bulk products. Up to 5-33 L Canister.

Sampling Normative

Sorne of these groups are:

- 1. American Society for Testing and Materials (A.S.TM.).
- 2. International Organization for Standardization (I.S.O.).
- 3. Japanese Industrial Standards (J.I.S.).
- 4. GOST Normative

CE Normative

This partly completed machine is in compliance with the following relevant provisions of the EC Directives: 2004/108/EC (EMC Directive).

The protection objectives of the Low Voltage Directive 2006/95/EC are in accordance with Annex I, No. 1.5.1 of the EC Machinery Directive 2006/42/EC.

The following standards have also been applied:

EN ISO 12100-1:2003.

EN ISO 12100-2:2003.

EN ISO 13857:2008.

And EN 619:2002.

